



FABRICS

COLLECTION

EDITION 2026

COLLECTION ARANO

FABRIC TECHNICAL DATA

Composition: 100% Polyester
Material weight: 354 g/m²
Abrasion resistance: 35.000 cycles Martindale
Pilling resistance: 4
Lightfastness: 3-4


INSTRUCTIONS FOR CLEANING AND MAINTANANCE

CHARACTERISTICS:


- Very soft and nice in touch with chenille yarn
- Different shades of yarn and a relief structure
- Highly breathable, high comfort of use

MAINTENANCE:


The Arano fabric requires careful cleaning. We suggest very gentle cleaning with a soft nozzle. In case of any minor stains, the fabric should be wiped quickly with a dry cloth. Avoid rubbing against a damp surface. The fabric is not washable. A thorough cleaning or removing substantial dirt should be assigned to professional maintenance services companies. A proper maintenance of the fabric is one of key warranty conditions; any treatments damaging the fabric surface constitute grounds for the rejection of possible complaints. Shades of fabric swatches and those of a furniture covering may vary slightly.



Arano 06



Arano 07



Arano 08



Arano 09



Arano 12




Arano 14



Arano 15



Arano 17



Arano 19

SHORT STOCK

COLLECTION CASTLE

FABRIC TECHNICAL DATA

Fabric composition: 97% Polyester, 3% Cotton
Material weight: 370 g/m²
Abrasion resistance: 25.000 cycles Martindale
Pilling resistance: 4
Lightfastness: 4

INSTRUCTIONS FOR CLEANING AND MAINTANANCE


CHARACTERISTICS:

- Soft fabric, nice to touch
- Gentle texture and melange of colors give a noble, rustic look
- Highly breathable, high comfort of use


MAINTENANCE:

The Castle fabric requires careful cleaning. A gentle vacuuming with a soft nozzle is recommended. The fabric does not have a chemical finish protecting it against water absorption and dirt. In case any slight stains appear, wipe the fabric immediately with a dry cloth. Avoid rubbing against a damp fabric. The fabric is not washable. A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance services companies. A proper maintenance of the fabric is one of key warranty conditions, any treatments damaging the fabric surface constitute the grounds for the rejection of possible complaints.


Shades of fabric swatches and those of the furniture covering may vary slightly.




Castle 60




Castle 168




Castle 14




Castle 160




Castle 12




Castle 15



Castle 24




Castle 143



Castle 153



Castle 48



Castle 165

SHORT STOCK

COLLECTION DAKAR

FABRIC TECHNICAL DATA

Fabric composition: 100% Polyester
Material weight: 480 g/m²
Abrasion resistance: 60.000 cycles Martindale
Pilling resistance: 4
Lightfastness: 5

INSTRUCTIONS FOR CLEANING AND MAINTANANCE

CHARACTERISTICS:

- melange, woven fabric, nice to the touch
- natural colors give the fabric a rustic look
- highly breathable, high comfort of use

MAINTENANCE:

The Dakar fabric requires careful cleaning. A gentle vacuuming with a soft nozzle is recommended. The fabric does not have a chemical finish protecting it against water absorption and dirt. If wet stains occur, the dirt should be quickly wiped off with a dry cloth and the fabric left to dry. Avoid rubbing the damp fabric. Dakar fabric is not machine washable.

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance companies. Proper maintenance of the fabric is one of the key warranty conditions. Any treatments damaging the fabric surface constitute the grounds for the rejection of possible complaints.

Shades of fabric swatches and those of the furniture covering may vary slightly.



Dakar 88



Dakar 74



Dakar 22

SHORT STOCK

COLLECTION DAKOTA

FABRIC TECHNICAL DATA

Fabric composition: 100% Polyester
Material weight: 480 g/m²
Abrasion resistance: 25.000 cycles Martindale
Pilling resistance: 4-5
Lightfastness: 4

INSTRUCTIONS FOR CLEANING AND MAINTANANCE

CHARACTERISTICS:

- Very soft fabric, nice to touch
- Subtle irregular pattern imitating genuine leather
- Highly breathable, high comfort of use
- Does not attract dust, pilling resistant


MAINTENANCE:

A gentle vacuuming with a soft nozzle is recommended. The Dakota fabric does not have a chemical finish protecting it against water absorption and dirt. In case any slight stains appear, wipe the fabric immediately with a dry cloth. Avoid rubbing against a damp fabric. The fabric is not washable.

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance services companies.

A proper maintenance of the fabric is one of key warranty conditions, any treatments damaging the fabric surface constitute the grounds for the rejection of possible complaints.

Shades of fabric swatches and those of the furniture covering may vary slightly.



Dakota 05




Dakota 01




Dakota 10




Dakota 14



Dakota 04



Dakota 06



Dakota 02

SHORT STOCK

Fabric composition: 100% Polyester
Material weight: 410 g/m²
Abrasion resistance: 80.000 cycles Martindale
Pilling resistance: 5
Lightfastness: 4-5

INSTRUCTIONS FOR CLEANING AND MAINTANANCE

CHARACTERISTICS:

- Very soft velvet, nice to touch
- Elegant material with a velvety, gently shading texture
- Perfectly matches stylish and modern furniture
- Highly breathable, high comfort of use

MAINTENANCE:

During use the fibers on the fabric surface can stack in different directions what triggers shading effect. We recommend gentle cleaning with a soft brush, always following the original direction of the fiber. The fabric is not washable. In case of wet stains, remove the dirt quickly with a dry cloth and allow the fabric to dry. While drying take care that the fibers cover is arranged in the right direction. Do not rub the fabric!

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance services companies.

A proper maintenance of the fabric is one of key warranty conditions; any treatments damaging the fabric surface constitute grounds for the rejection of possible complaints.

Shades of fabric swatches and those of the furniture covering may vary slightly.



Dolce 10



Dolce 11



Dolce 12




Dolce 03



Dolce 472



Dolce 06



Dolce 15



Dolce 13



Dolce 14



Dolce 01




Dolce 02



Dolce 05



Dolce 04



Dolce 08

COLLECTION FANO

FABRIC TECHNICAL DATA

Fabric composition: 100% Polyester
Material weight: 390 g/m²
Abrasion resistance: 40.000 cycles Martindale
Cigarette test: ISO 1021-1:2006-BS
Pilling resistance: 4-5
Lightfastness: 4

INSTRUCTIONS FOR CLEANING AND MAINTANANCE

CHARACTERISTICS:

- soft fabric, nice to touch
- smooth, mat surface imitates suede
- highly breathable, high comfort of use

MAINTENANCE:

A gentle vacuuming with a very soft nozzle once a week is recommended. If any stains occur, remove the dirt directly with a damp tissue and allow fabric to dry.

Fano fabric can be washed at 30° C using neutral detergent. Do not wring! Iron the reverse side of the fabric only at a maximum temperature of 110 ° C.

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance companies.

Proper maintenance of the fabric is one of the key warranty conditions. Any treatments damaging the fabric surface constitute grounds for the rejection of possible complaints.

Shades of fabric swatches and those of the furniture covering may vary slightly.



Fano 06



Fano 07




Fano 10



Fano 11



Fano 04



Fano 03



Fano 22

COLLECTION FENIX

FABRIC TECHNICAL DATA

Fabric composition: 100% Polyester
Material weight: 330 g/m²
Abrasion resistance: 45.000 cycles Martindale
Pilling resistance: 4-5
Lightfastness: 5

INSTRUCTIONS FOR CLEANING AND MAINTANANCE

CHARACTERISTICS:

- very soft fabric with chenille thread, nice to touch
- darker background highlights the soft relief weave and gives the fabric an original look
- highly breathable, high comfort of use

MAINTENANCE:

The Fenix fabric requires careful cleaning. A gentle vacuuming with a soft nozzle is recommended. The Fenix fabric does not have a chemical finish protecting it against water absorption and dirt. In case any slight stains appear, wipe the fabric immediately with a dry cloth. Avoid rubbing against a damp fabric. The fabric is not washable.

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance services companies. A proper maintenance of the fabric is one of key warranty conditions, any treatments damaging the fabric surface constitute grounds for the rejection of possible complaints. Shades of fabric swatches and those of the furniture covering may vary slightly.



Fenix 01



Fenix 07



Fenix 08




Fenix 19




Fenix 20




Fenix 21



Fenix 11



Fenix 14



Fenix 15



Fenix 22

COLLECTION FORTE

FABRIC TECHNICAL DATA

Fabric composition: 100% Polyester
Material weight: 400 g/m²
Abrasion resistance: 50.000 cycles Martindale
Pilling resistance: 4
Lightfastness: 5

INSTRUCTIONS FOR CLEANING AND MAINTANANCE

CHARACTERISTICS:

- Very soft fabric with chenille thread, nice to touch
- Different shades of weft and warp give the fabric original look
- Highly breathable, high comfort of use

MAINTENANCE:

The Forte fabric requires careful cleaning. A gentle vacuuming with a soft nozzle is recommended. The fabric does not have a chemical finish protecting it against water absorption and dirt. In case any slight stains appear, wipe the fabric immediately with a dry cloth. Avoid rubbing against a damp fabric. The fabric is not washable.

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance services companies. A proper maintenance of the fabric is one of key warranty conditions, any treatments damaging the fabric surface constitute grounds for the rejection of possible complaints. Shades of fabric swatches and those of the furniture covering may vary slightly.




Forte 22




Forte 28



Forte 66



Forte 44



Forte 59



Forte 30



Forte 06



Forte 07



Forte 13



Forte 77



Forte 86



Forte 10



Forte 16

COLLECTION FUZZY

FABRIC TECHNICAL DATA

Composition: 100% Polyester
Weight: 380 g/m²
Abrasion resistance: 35.000 Cycles
Pilling resistance: 4-5
Lightfastness: 5

INSTRUCTIONS FOR CLEANING AND MAINTANANCE

CHARACTERISTICS:

- very soft textured fabric, nice to the touch
- beautifully highlights the rounded shapes of modern furniture
- durable and pleasant to use

MAINTENANCE:

A gentle vacuuming with a very soft nozzle once a week is recommended. If wet stains occur, the dirt should be quickly wiped off with a dry cloth and the fabric allowed to dry. Do not rub the damp fabric! Fuzzy fabric is not machine washable, hand wash at 30° C. Do not wring! Do not tumble dry. Do not iron.

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance companies. Proper maintenance of the fabric is one of the key warranty conditions. Any treatments damaging the fabric surface constitute the grounds for the rejection of possible complaints.

Shades of fabric swatches and those of the furniture covering may vary slightly.

Shades of fabric swatches and those of the furniture covering may vary slightly.



Fuzzy 01



Fuzzy 09



Fuzzy 11



Fuzzy 26



Fuzzy 59




Fuzzy 58



Fuzzy 21



Fuzzy 16



Fuzzy 81



Fuzzy 90



Fuzzy 37



Fuzzy 39



Fuzzy 19
(NEW)

COLLECTION IMPERIA

FABRIC TECHNICAL DATA

Fabric composition: 100% Polyester
Material weight: 410 g/m²
Abrasion resistance: 35.000 cycles Martindale
Pilling resistance: 5
Lightfastness: 5

INSTRUCTIONS FOR CLEANING AND MAINTANANCE

CHARACTERISTICS:

- plain, very soft fabric, nice to the touch
- has a delicate, slightly shiny surface structure
- it does not pill or discolor

MAINTENANCE:


A gentle vacuuming with a very soft nozzle once a week is recommended. If wet stains occur, the dirt should be quickly wiped off with a dry cloth and the fabric allowed to dry. Do not rub the damp fabric! Imperia fabric is not machine washable, hand wash at 30° C. Do not wring!

Iron the reverse side of the fabric only at a maximum temperature of 110 ° C.


A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance companies.

Proper maintenance of the fabric is one of the key warranty conditions. Any treatments damaging the fabric surface constitute the grounds for the rejection of possible complaints.

Shades of fabric swatches and those of the furniture covering may vary slightly.




Imperia 03



Imperia 170



Imperia 01



Imperia 20



Imperia 09

SHORT STOCK

COLLECTION LINDA

FABRIC TECHNICAL DATA

Fabric composition: 94% Polyester, 6% Nylon
Material weight: 350 g/m²
Abrasion resistance: 50.000 cycles Martindale
Pilling resistance: 4-5
Lightfastness: 3-4

INSTRUCTIONS FOR CLEANING AND MAINTANANCE

CHARACTERISTICS:

- Very soft fabric, nice to touch
- Gentle, relief structure and natural colors gives it a noble look
- Highly breathable, high comfort of use

MAINTENANCE:

A very gentle vacuuming with a soft nozzle is recommended. The Linda fabric has a wet-stain-repellent finish that protects it from water absorption. In case any wet stains appear, wipe the fabric immediately with a dry cloth. Avoid rubbing against a damp fabric. The fabric is not machine washable.

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance services companies.

A proper maintenance of the fabric is one of key warranty conditions; any treatments damaging the fabric surface constitute grounds for the rejection of possible complaints.

Shades of fabric swatches and those of the furniture covering may vary slightly.



STANDARD NORMS

BS 5852 Part 1 - Cigarette Test - PASS

EN 1021-1 - Cigarette Test - PASS

CA Tech. Bull. 117:2013 / NFPA 260 - Cigarette Test - PASS

FR - Cigarette & Match - Available with Back Coating

BS 5852 Source 0 & 1 / Crib 5 - MOQ 150m / 30m per Colour



Linda 01



Linda 02



Linda 03



Linda 04




Linda 05




Linda 07



Linda 14



Linda 17



Linda 18



Linda 24

COLLECTION LUMO

FABRIC TECHNICAL DATA

Composition: 100% Polyester
Weight: 350 g/m²
Abrasion resistance: 30.000 Cycles
Pilling resistance: 4-5
Lightfastness: 5

INSTRUCTIONS FOR CLEANING AND MAINTANANCE

CHARACTERISTICS:

- very soft chenille fabric, nice to the touch
- delicately textured surface with a slight sheen
- it does not pill or discolor

MAINTENANCE:

A gentle vacuuming with a very soft nozzle once a week is recommended. If wet stains occur, the dirt should be quickly wiped off with a dry cloth and the fabric allowed to dry.

Do not rub the damp fabric! Lumo fabric is not machine washable, hand wash at 30° C. Do not wring! Do not tumble dry. Iron the reverse side of the fabric only at a maximum temperature of 110 ° C. A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance companies.

Proper maintenance of the fabric is one of the key warranty conditions. Any treatments damaging the fabric surface constitute the grounds for the rejection of possible complaints.

Shades of fabric swatches and those of the furniture covering may vary slightly.



Lumo 03



Lumo 06




Lumo 08




Lumo 53



Lumo 56



Lumo 95



Lumo 86



Lumo 34



Lumo 38



Lumo 77

COLLECTION MADERA

FABRIC TECHNICAL DATA

Fabric composition: 100% Polyester
Material weight: 580 g/m²
Abrasion resistance: 100.000 cycles Martindale
Pilling resistance: 4-5
Lightfastness: 5

INSTRUCTIONS FOR CLEANING AND MAINTANANCE

CHARACTERISTICS:

- relief, very soft chenille fabric
- has a delicate, slightly shiny surface structure
- it does not pill or discolor
- high comfort of use in all seasons


MAINTENANCE:

A gentle vacuuming with a very soft nozzle once a week is recommended. If wet stains occur, the dirt should be quickly wiped off with a dry cloth and the fabric allowed to dry. Do not rub the damp fabric! Madera fabric is not machine washable.

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance companies.

Proper maintenance of the fabric is one of the key warranty conditions. Any treatments damaging the fabric surface constitute the grounds for the rejection of possible complaints.


Shades of fabric swatches and those of the furniture covering may vary slightly.




Madera 01




Madera 15




Madera 17




Madera 24




Madera 12



Madera 09



Madera 26



Madera 02



Madera 03



Madera 06

COLLECTION MONTE CARLO

FABRIC TECHNICAL DATA

Fabric composition: 92% Polyester, 8% Polyamide
Material weight: 372 g/m²
Abrasion resistance: 45.000 cycles Martindale
Pilling resistance: 4-5
Lightfastness: 5


INSTRUCTIONS FOR CLEANING AND MAINTANANCE

CHARACTERISTICS:


- very soft fabric, nice to touch
- gentle, relief structure and natural colors gives it a noble look
- highly breathable, high comfort of use

MAINTENANCE:


A very gentle vacuuming with a soft nozzle is recommended. If wet stains occur, the dirt should be quickly wiped off with a dry cloth and the fabric allowed to dry. Avoid rubbing the damp fabric. Monte Carlo fabric is not machine washable, hand wash at 30° C. Do not wring! Iron the reverse side of the fabric only at a maximum temperature of 110 ° C. A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance companies. Proper maintenance of the fabric is one of the key warranty conditions. Any treatments damaging the fabric surface constitute grounds for the rejection of possible complaints. Shades of fabric swatches and those of the furniture covering may vary slightly.




Monte Carlo 245




Monte Carlo 20




Monte Carlo 808



Monte Carlo 223



Monte Carlo 505



Monte Carlo 396

SHORT STOCK

COLLECTION MUFI

FABRIC TECHNICAL DATA

Composition: 100% Polyester
Weight: 380 g/m²
Abrasion resistance: 35.000 Cycles
Pilling resistance: 4-5
Lightfastness: 5

INSTRUCTIONS FOR CLEANING AND MAINTANANCE

CHARACTERISTICS:

- very soft textured fabric, nice to the touch
- beautifully highlights the rounded shapes of modern furniture
- durable and pleasant to use

MAINTENANCE:

A gentle vacuuming with a very soft nozzle once a week is recommended. If wet stains occur, the dirt should be quickly wiped off with a dry cloth and the fabric allowed to dry. Do not rub the damp fabric! Fuzzy fabric is not machine washable, hand wash at 30° C. Do not wring! Do not tumble dry. Do not iron.

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance companies.

Proper maintenance of the fabric is one of the key warranty conditions. Any treatments damaging the fabric surface constitute the grounds for the rejection of possible complaints.


Shades of fabric swatches and those of the furniture covering may vary slightly.



Mufi 01



Mufi 11




Mufi 17




Mufi 52




Mufi 56




Mufi 86



Mufi 90



Mufi 37



Mufi 39



Mufi 77

COLLECTION ORION

FABRIC TECHNICAL DATA

Fabric composition: 100% Polyester
Material weight: 300 g/m²
Abrasion resistance: 35.000 cycles Martindale
Pilling resistance: 5
Lightfastness: 6-7

INSTRUCTIONS FOR CLEANING AND MAINTANANCE

CHARACTERISTICS:

- single-color fabric with a thick, regular texture
- very soft fabric, nice to touch
- very good air permeability
- pilling resistant, perfect for large sofas


MAINTENANCE:

A very gently cleaning of the fabric with a very soft brush following the direction of the fibers is recommended. If wet stains occur, the dirt should be quickly wiped off with a dry cloth and the fabric left to dry. Do not rub damp fabric! Orion fabric is not machine washable, hand wash at 30° C. Do not wring and do not iron!


A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance companies. Proper maintenance of the fabric is one of the key warranty conditions. Any treatments damaging the fabric surface constitute grounds for the rejection of possible complaints. Shades of fabric swatches and those of the furniture covering may vary slightly.



Orion 20




Orion 21




Orion 22




Orion 18



Orion 19



Orion 08



Orion 07



Orion 26

COLLECTION ORO

FABRIC TECHNICAL DATA

Composition: 100% Polyester

Weight: 550 g/m²

Abrasion resistance: 100.000 Martindale cycles

Pilling resistance: 4/5

Lightfastness: 5

INSTRUCTIONS FOR CLEANING AND MAINTANANCE

CHARACTERISTICS:

- very soft textured fabric with chenille yarn
- beautifully highlights the rounded shapes of modern furniture
- durable and pleasant to use


MAINTENANCE:

A gentle vacuuming with a soft nozzle is recommended. The fabric does not have a chemical finish protecting it against water absorption and dirt. If wet stains occur, the dirt should be quickly wiped off with a damp cloth and the fabric left to dry. Avoid intensive rubbing of the fabric. Oro fabric is not machine washable, hand wash at 30° C is possible. Do not wring or iron. A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance companies. Proper maintenance of the fabric is one of the key warranty conditions. Any treatments damaging the fabric surface constitute the grounds for the rejection of possible complaints.

Shades of fabric swatches and those of the furniture covering may vary slightly.



Oro 01



Oro 02




Oro 03




Oro 08




Oro 07



Oro 17



Oro 25



Oro 24



Oro 22



Oro 13



Oro 11



Oro 18



COLLECTION RIVER

FABRIC TECHNICAL DATA

Fabric composition: 100% Polyester
Material weight: 400 g/m²
Abrasion resistance: 23.000 cycles Martindale
Pilling resistance: 4
Lightfastness: 4


INSTRUCTIONS FOR CLEANING AND MAINTANANCE

CHARACTERISTICS:

- Very soft fabric with chenille thread, nice to touch
- Structural surface and melange yarn give it a noble look
- Highly breathable, high comfort of use

MAINTENANCE:

The River fabric requires careful cleaning. We suggest very gentle cleaning with a soft nozzle. In case of any minor stains, the fabric should be wiped quickly with a dry cloth. Avoid rubbing against a damp surface. The fabric is not washable. A thorough cleaning or removing substantial dirt should be assigned to professional maintenance services companies. A proper maintenance of the fabric is one of key warranty conditions; any treatments damaging the fabric surface constitute grounds for the rejection of possible complaints. Shades of fabric swatches and those of a furniture covering may vary slightly.




River 02




River 66




River 56



River 83



River 20



River 22



River 17

SHORT STOCK

COLLECTION RUBY

FABRIC TECHNICAL DATA

Composition: 100% Polyester
Material weight: 400 g/m²
Abrasion resistance: 50.000 cycles Martindale
Pilling resistance: 4-5
Lightfastness: 5

INSTRUCTIONS FOR CLEANING AND MAINTANANCE

CHARACTERISTICS:

- soft fabric, very nice to the touch
- matte with a visible melange effect
- universal, looks good on any piece of furniture
- it does not pill or discolour

MAINTENANCE:

A gentle vacuuming with a soft nozzle is recommended. The fabric does not have a chemical finish protecting it against water absorption and dirt. If wet stains occur, the dirt should be quickly wiped off with a damp cloth and the fabric left to dry. Avoid intensive rubbing of the fabric. Ruby fabric is not machine washable.

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance companies. Proper maintenance of the fabric is one of the key warranty conditions. Any treatments damaging the fabric surface constitute the grounds for the rejection of possible complaints.

Shades of fabric swatches and those of the furniture covering may vary slightly.




Ruby 03




Ruby 30




Ruby 06



Ruby 09



Ruby 10



Ruby 22



Ruby 24



Ruby 26



Ruby 16



Ruby 18

COLLECTION RUMI

FABRIC TECHNICAL DATA

Composition: 100% Polyester
Weight: 500 g/m²
Abrasion resistance: 50.000 Cycles
Pilling resistance: 4-5
Lightfastness: 5

INSTRUCTIONS FOR CLEANING AND MAINTANANCE

CHARACTERISTICS:

- very soft fabric, nice to the touch
- matt surface with a distinct texture
- durable and comfortable to use

MAINTENANCE:

A gentle vacuuming with a very soft nozzle once a week is recommended. If wet stains occur, the dirt should be quickly wiped off with a dry cloth and the fabric allowed to dry. Do not rub the damp fabric! Rumi fabric is not washable.

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance companies.

Proper maintenance of the fabric is one of the key warranty conditions. Any treatments damaging the fabric surface constitute the grounds for the rejection of possible complaints.

Shades of fabric swatches and those of the furniture covering may vary slightly.



Rumi 05



Rumi 22



Rumi 06



Rumi 09



Rumi 02



Rumi 01



Rumi 16



Rumi 17

COLLECTION SAJMA

FABRIC TECHNICAL DATA

Fabric composition: 100% Polyester
Material weight: 410 g/m²
Abrasion resistance: 100.000 cycles Martindale
Pilling resistance: 4
Lightfastness: 5

INSTRUCTIONS FOR CLEANING AND MAINTANANCE

CHARACTERISTICS:

- Very soft, structured chenille fabric, nice to touch
- Thick weave and subtle brilliance give the fabric an original look
- Highly breathable, high comfort of use

MAINTENANCE:

The Sajma fabric requires careful cleaning. A gentle vacuuming with a soft nozzle is recommended. The fabric does not have a chemical finish protecting it against water absorption and dirt. In case any slight stains appear, wipe the fabric immediately with a dry cloth. Avoid rubbing against a damp fabric. The fabric is not washable.

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance services companies.

A proper maintenance of the fabric is one of key warranty conditions, any treatments damaging the fabric surface constitute the grounds for the rejection of possible complaints.


Shades of fabric swatches and those of the furniture covering may vary slightly.



Sajma 15



Sajma 03



Sajma 06



Sajma 07



Sajma 20



Sajma 17



Sajma 18



Sajma 11



Sajma 12

COLLECTION SAN REMO

FABRIC TECHNICAL DATA

Fabric composition: 100% Polyester
Material weight: 410 g/ m²
Abrasion resistance: 42.000 Martindale cycles
Pilling resistance: 5
Lightfastness: 4-5

INSTRUCTIONS FOR CLEANING AND MAINTANANCE

CHARACTERISTICS:

- very soft, printed and embossed fabric
- imitates woven fabric with a pleasant surface
- works very well on furniture with functions
- highly breathable, high comfort of use

MAINTENANCE:

A very gentle vacuuming with a soft nozzle is recommended. If wet stains occur, the dirt should be quickly wiped off with a dry cloth and the fabric left to dry. Avoid rubbing the damp fabric. San Remo fabric is not machine washable.

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance companies.

Proper maintenance of the fabric is one of the key warranty conditions. Any treatments damaging the fabric surface constitute grounds for the rejection of possible complaints.

Shades of fabric swatches and those of the furniture covering may vary slightly.




San Remo 01



San Remo 03



San Remo 06



San Remo 16



San Remo 20



San Remo 17



San Remo 18



San Remo 12

COLLECTION TELLARO

FABRIC TECHNICAL DATA

Fabric composition: 100% Polyester
Weight: 350 g/m²
Abrasion resistance: 35.000 Martindale cycles
Pilling resistance: 5
Color fastness: 4-5

INSTRUCTIONS FOR CLEANING AND MAINTANANCE

CHARACTERISTICS:

- corduroy fabric with distinctive, thick ribbing
- very soft fabric, nice to touch
- highly breathable
- pilling resistant, perfect for large sofas


MAINTENANCE:

A very gently cleaning of the fabric with a very soft brush following the direction of the fibers is recommended. If wet stains occur, the dirt should be quickly wiped off with a dry cloth and the fabric left to dry. Do not rub damp fabric! Tellaro fabric is not machine washable, hand wash at 30° C. Do not wring and do not iron!

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance companies. Proper maintenance of the fabric is one of the key warranty conditions. Any treatments damaging the fabric surface constitute grounds for the rejection of possible complaints.



Tellaro 100



Tellaro 03




Tellaro 42




Tellaro 40



Tellaro 29



Tellaro 55



Tellaro 22




Tellaro 47



Tellaro 46

RIBBED BAND



158

127

142

223

280